




ROCK ISLAND



HRI 1
20x20 8"x8"
053


HRI 1
20x40 8"x16"
053



Battiscopa / HRI 1
10x40 4"x16"
Bullnose
Sockelleiste
Plinthes



8,5mm



Elemento a L
Monolitico / HRI 1
16,5x30 61/2"x12"



8,5mm



Gradone Lineare
Monolitico / HRI 1

30x33 12"x13"
Step
Stufe
Nez de marche



10,3mm



Gradone Angolare
Monolitico / HRI 1

33x33 13"x13"
Corner step
Eckstufe
Nez de marche angulaire



10,3mm



HRI 9
20x20 8"x8"
053


HRI 9
20x40 8"x16"
053



Battiscopa / HRI 9
10x40 4"x16"
Bullnose
Sockelleiste
Plinthes



8,5mm



Elemento a L
Monolitico / HRI 9
16,5x30 61/2"x12"



8,5mm



Gradone Lineare
Monolitico / HRI 9

30x33 12"x13"
Step
Stufe
Nez de marche



10,3mm



Gradone Angolare
Monolitico / HRI 9

33x33 13"x13"
Corner step
Eckstufe
Nez de marche angulaire



10,3mm



HRI 5
20x20 8"x8"
053


HRI 5
20x40 8"x16"
053



Battiscopa / HRI 5
10x40 4"x16"
Bullnose
Sockelleiste
Plinthes



8,5mm



Elemento a L
Monolitico / HRI 5
16,5x30 61/2"x12"



8,5mm



Gradone Lineare
Monolitico / HRI 5

30x33 12"x13"
Step
Stufe
Nez de marche



10,3mm



Gradone Angolare
Monolitico / HRI 5

33x33 13"x13"
Corner step
Eckstufe
Nez de marche angulaire




10,3mm



Package	20x40	20x20
Pieces	15	29
Mq.	1,20	1,16
Kg.	21,12	20,42
Boxes	45	45
Mq.	54,00	52,20
Kg.	970,40	938,72

SHADE VARIATION



HARD

GRES PORCELLANATO A TUTTA MASSA
THROUGH-BODY PORCELAIN TILE
DURCHGEFÄRBTES FEINSTEINZEUG
LE GRÈS CÉRAME PLEINE MASSE



SPESSORE

RESISTENZA AL GELO

ASSORBIMENTO D'ACQUA

CAMPO D'IMPIEGO CONSIGLIATO

RESISTENZA CHIMICA

RESISTENZA ALLO SCIVOLAMENTO

ASCIUTTO BAGNATO

THICKNESS

FROST RESISTANCE

WATER ABSORPTION

RECOMMENDED USE

CHEMICAL RESISTANCE

SLIPPING RESISTANCE

DRY WET

STAERKE

FROSTBESTÄNDIGKEIT

WASSERAUFNAHME

ANWEDUNGSBEREICH

BESTÄNDIGKEIT GEGEN CHEMIKALIEN

RUTSCHFESTIGKEIT

TROCKEN NASS

ÉPAISSEUR

RESISTANCE AU GEL

ABSORPTION D'EAU

PIECE D'EMPLOI CONSEILLÉE

RESISTANCE CHIMIQUE

FACTEUR DE RESISTANCE ANTIGLISSMENT

SEC MOUILLE

8,5 mm

RESISTANT
ISO 10545.12

~0,1%
ISO 10545.3



GA
UNI EN ISO 10545.13
5
UNI EN ISO 10545.14

DIN 51130
DIN 51097
ANSI 137.1 (DCOF)
BCRA

R 11
-
>0,74
-
A+B
≥0,42
>0,74

Price codes: 053 Mq. 019 Ml. 059 Pieces




HRI 1
20x20 8"x8"
053



HRI 1
20x40 8"x16"
053



Battiscopa / HRI 1
10x40 4"x16"
Bullnose
Sockelleiste
Plinthes
019 20
8,5mm



Elemento a L Monolitico / HRI 1
16,5x30 6 1/2"x12"
082 8
8,5mm



Gradone Lineare Monolitico / HRI 1
30x33 12"x13"
Step
Stufe
Nez de marche
059 6
10,3mm



Gradone Angolare Monolitico / HRI 1
33x33 13"x13"
Corner step
Eckstufe
Nez de marche angulaire
085 4
10,3mm




HRI 9
20x20 8"x8"
053



HRI 9
20x40 8"x16"
053



Battiscopa / HRI 9
10x40 4"x16"
Bullnose
Sockelleiste
Plinthes
019 20
8,5mm



Elemento a L Monolitico / HRI 9
16,5x30 6 1/2"x12"
082 8
8,5mm



Gradone Lineare Monolitico / HRI 9
30x33 12"x13"
Step
Stufe
Nez de marche
059 6
10,3mm



Gradone Angolare Monolitico / HRI 9
33x33 13"x13"
Corner step
Eckstufe
Nez de marche angulaire
085 4
10,3mm




HRI 5
20x20 8"x8"
053



HRI 5
20x40 8"x16"
053



Battiscopa / HRI 5
10x40 4"x16"
Bullnose
Sockelleiste
Plinthes
019 20
8,5mm



Elemento a L Monolitico / HRI 5
16,5x30 6 1/2"x12"
082 8
8,5mm






Gradone Lineare Monolitico / HRI 5
30x33 12"x13"
Step
Stufe
Nez de marche
059 6
10,3mm



Gradone Angolare Monolitico / HRI 5
33x33 13"x13"
Corner step
Eckstufe
Nez de marche angulaire
085 4
10,3mm

Package			
 Box	20x40	20x20	
	Pieces	15	29
	Mq.	1,20	1,16
 Europallet	Boxes	45	45
	Mq.	54,00	52,20
	Kg.	970,40	938,72

SHADE VARIATION			
			
LOW	MODERATE	HIGH	RANDOM



HARD	
GRES PORCELLANATO A TUTTA MASSA	
THROUGH-BODY PORCELAIN TILE	
DURCHGEFÄRBTES FEINSTEINZEUG	
LE GRÈS CÉRAME PLEINE MASSE	
Price codes: 053 Mq. 019 MI. 059 Pieces	





Gres porcellanato a tutta massa

Through-body porcelain tile - Durchgefärbtes Feinsteinzeug - Le grès cérame pleine masse



Ceramica del Conca S.p.a.

Via Croce, 8 - 47832 San Clemente (RN) - Italy

Tel. (+378) 0549 996037 - Fax (+378) 0549 996038

www.delconca.com - info@delconca.com