

innovative solutions

MARMI HIGH-TECH

DAI NOSTRI LABORATORI DI RICERCA, DAGLI STUDI INTRAPRESI IN QUESTI ANNI SULLE TECNOLOGIE PIU' AVANZATE, È NATA UNA NUOVA GENERAZIONE DI MARMI HIGH-TECH REALMENTE RIVOLUZIONARIA PER FORMATO E PRESTAZIONI. INNOVATIVE SLABS: PRESTIGIOSE ED IMPONENTI LASTRE CHE CONFERMANO IL PRIMATO DI ARIOSTEA NELL'INNOVAZIONE PIÙ SOFISTICATA.

FROM OUR RESEARCH LABORATORIES, FROM THE STUDIES UNDERTAKEN IN THESE YEARS ON THE MOST ADVANCED TECHNOLOGIES, A NEW GENERATION OF MARMI HIGH-TECH, EXTREMELY REVOLUTIONARY FOR SIZE AND PERFORMANCE, WAS BORN. INNOVATIVE SLABS: PRESTIGIOUS AND IMPRESSIVE SLABS THAT CONFIRM THE SUPREMACY OF ARIOSTEA IN THE MOST SOPHISTICATED INNOVATION.

AUS UNSEREN FORSCHUNGSLABOREN, AUS DEN STUDIEN, DIE WIR IN DIESEN JAHREN AN DEN MODERNSTEN TECHNOLOGIEN DURCHFÜHRT HABEN, IST EINE NEUE GENERATION VON MARMI HIGH-TECH HERVORGEGANGEN, DIE HINSICHTLICH FORMAT UND LEISTUNGEN WIRKLICH REVOLUTIONIEREND IST. INNOVATIVE SLABS: EDLE UND BEEINDRUCKENDE PLATTEN, DIE DEN PRIMAT VON ARIOSTEA BEI DER AUSGEKLÜGELTSTEN INNOVATION BESTÄTIGEN.

DE NOS LABORATOIRES DE RECHERCHE ET D'ÉTUDES ENTREPRISES CES DERNIÈRES ANNÉES SUR LES TECHNOLOGIES LES PLUS AVANCÉES, UNE NOUVELLE GÉNÉRATION DE MARMI HIGH-TECH EST NÉE, TOTALEMENT RÉVOLUTIONNAIRE PAR SON FORMAT ET SES PRESTATIONS. INNOVATIVE SLABS: D'IMPOSANTES PLAQUES DE PRESTIGE QUI CONFIRMENT LA POSITION DE LEADER D' ARIOSTEA DANS L'INNOVATION DE POINTE.

150X75



BIANCO PAONAZZETTO

30x30
mosaico

150x75


75x75





GRIGIO DEI CARPAZI

150X75





AVORIO DI SICILIA



150X75



SOINTEL

Thursday
11 March 2020

Weather

Forecast

Monday 16

Monday 21

Self Report

Today's report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the


staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

staff. The report is based on a 100% self-report of the

09:39:52






ROSSO ALCANTE



150X75



FORMATI E GAMMA COLORI

FORMATS AND COLOR RANGE / FORMATE UND FARBPALETTE / FORMATS ET GAMME COULEURS

BIANCO PAONAZZETTO

GRIGIO DEI CARPAZI

AVORIO DI SICILIA

ROSSO ALICANTE



150 x 75 cm - 60" x 30"

LL PL150382
PR P150382

150 x 75 cm - 60" x 30"

LL PL150383
PR P150383

150 x 75 cm - 60" x 30"

LL PL150381
PR P150381

150 x 75 cm - 60" x 30"

LL PL150384
PR P150384



75 x 75 cm - 30" x 30"

LL PL75382
PR P75382

75 x 75 cm - 30" x 30"

LL PL75383
PR P75383

75 x 75 cm - 30" x 30"

LL PL75381
PR P75381

75 x 75 cm - 30" x 30"

LL PL75384
PR P75384



75 x 37,5 cm - 30" x 15"

LL PL37382
PR P37382

75 x 37,5 cm - 30" x 15"



LL PL37383
PR P37383

75 x 37,5 cm - 30" x 15"

LL PL37381
PR P37381

75 x 37,5 cm - 30" x 15"

LL PL37384
PR P37384



75 x 9 cm - 30" x 3 3/5"

LL BL75382N

75 x 9 cm - 30" x 3 3/5"

LL BL75383N

75 x 9 cm - 30" x 3 3/5"

LL BL75381N

75 x 9 cm - 30" x 3 3/5"

LL BL75384N

PEZZI SPECIALI, DECORI E MOSAICI
SPECIAL TRIMS, DECORS AND MOSAICS / ZUBEHÖR, DEKORE UND MOSAIKE / PIECES SPECIALES, DECORS ET MOSAIQUE

BATTISCOPA



75 x 9 cm - 30" x 3³/₅"

BIANCO PAONAZZETTO	LL	BL75382AN
	PR	B75382T
.....		
GRIGIO DEI CARPAZI	LL	BL75383AN
	PR	B75383T
.....		
AVORIO DI SICILIA	LL	BL75381AN
	PR	B75381T
.....		
ROSSO ALICANTE	LL	BL75384AN
	PR	B75384T

GRADONE COSTA RETTA*



37,5 cm x ... - 15" x ...

ANGOLARE COSTA RETTA*



37,5 cm x ... - 15" x ...

* GRADONE E ANGOLARE COSTA RETTA 37,5 cm x ... DA 100 A 150 CM DISPONIBILE A RICHIESTA /
COSTA RETTA STEP TREAD AND CORNER 37,5 cm x ... FROM 100 TO 150 CM AVAILABLE ON DEMAND /
STUFE UND ECKSTUFE COSTA RETTA 37,5 cm x ... VON 100 BIS 150 CM AUF ANFRAGE ERHÄLTlich /
NEZ DE MARCHE ET NEZ DE MARCHE AVEC ANGLE COSTA RETTA 37,5 cm x ... DE 100 AU 150 CM DISPONIBLE SUR DEMANDE

DECORO TONIC



75 x 37,5 cm - 30" x 15"

BIANCO PAONAZZETTO	TON37382
GRIGIO DEI CARPAZI	TON37383
AVORIO DI SICILIA	TON37381
ROSSO ALICANTE	TON37384

DECORO NATURAL



75 x 37,5 cm - 30" x 15"

BIANCO PAONAZZETTO	NAT37382
GRIGIO DEI CARPAZI	NAT37383
AVORIO DI SICILIA	NAT37381
ROSSO ALICANTE	NAT37384

DECORO PESCO



75 x 37,5 cm - 30" x 15"

BIANCO PAONAZZETTO	PES37382
GRIGIO DEI CARPAZI	PES37383
AVORIO DI SICILIA	PES37381
ROSSO ALICANTE	PES37384

BULLNOSE



37,5 x 5 cm - 15" x 2"

BIANCO PAONAZZETTO	BULL37382
GRIGIO DEI CARPAZI	BULL37383
AVORIO DI SICILIA	BULL37381
ROSSO ALICANTE	BULL37384

MOSAICO



30 x 30 cm - 12" x 12"

BIANCO PAONAZZETTO	MOSL382
GRIGIO DEI CARPAZI	MOSL383
AVORIO DI SICILIA	MOSL381
ROSSO ALICANTE	MOSL384

LL LEVIGATO E LUCIDATO / Honed and polished / Geschliffen und poliert / Poli et lustré

(R9) PR PRELEVIGATO / Prepolished / Vorgeschliffen / Prépoli

RETTIFICATO MONOCALIBRO / Rectified single-calibre/ Rektifiziert einkalibrig / Rectifié monocalibre

SPESSORE: / Thickness: / Dicke: / Épaisseur: $\frac{10\text{ mm}}{\triangle}$

CARATTERISTICHE TECNICHE

TECHNICAL FEATURES / TECHNISCHE EIGENSCHAFTEN / CARACTÉRISTIQUES TECHNIQUES

Classificazione secondo norme CEN e ISO gruppo B1a EN 14411 All.G e ISO 13006 All.G /
Classification in accordance with CEN and ISO standards B1a EN 14411 Enclosed G and ISO 13006 Encl. G /
Klassifizierung gemäß CEN und ISO Normen Gruppe B1a EN 14411 Anl. G und ISO 13006 Anl.G /
Classification selon les normes CEN et ISO groupe B1a EN 14411 P.J.G et ISO 13006 P.J.G

PROPRIETÀ CHIMICO – FISICHE / CHEMICAL / PHYSICAL PROPERTIES / CHEMISCH PHYSISCHE EIGENSCHAFTEN / PROPRIÉTÉS CHIMICO – PHYSIQUES	NORMA / REGULATION / NORMEN / NORME	VALORE PRESCRITTO / REQUIRED VALUE / VORGESCHRIEBENER WERT / VALUER PRESCRITE	VALORI MEDI ARIOSTEA / ARIOSTEA AVERAGE VALUES / ARIOSTEA DURCHSCHNITTSWERTE / VALEURS MOYENNES ARIOSTEA
 ASSORBIMENTO D'ACQUA WATER ABSORPTION / WASSERAUFNAHME / ABSORPTION D'EAU	ISO 10545-3	≤ 0,5 %	0,02% - 0,04% SUPERFICIE PRELEVIGATA / PREPOLISHED SURFACES / VORGESCHLIFFENE OBERFLÄCHEN / SURFACES PREPOLIES 0,05% - 0,07% SUPERFICIE LEVIGATA / POLISHED SURFACES / POLIERTE OBERFLÄCHEN / SURFACES POLIES
 DIMENSIONI SIZES / ABMESSUNGEN / DIMENSIONS	ISO 10545-2	± 0,6% max LUNGHEZZA E LARGHEZZA / LENGHT AND WIDTH / LÄNGE UND BREITE / LONGUEUR ET LARGEUR	± 0,1% LUNGHEZZA E LARGHEZZA / LENGHT AND WIDTH / LÄNGE UND BREITE / LONGUEUR ET LARGEUR
		± 5% max SPESSORE / THICKNESS / STÄRKE / EPAISSEUR	± 5% SPESSORE / THICKNESS / STÄRKE / EPAISSEUR
		± 0,5% max RETTILINEITÀ SPIGOLI / LINEARITY / KANTENGERADHEIT / RECTITUDE DES ARÊTES	± 0,1% RETTILINEITÀ SPIGOLI / LINEARITY / KANTENGERADHEIT / RECTITUDE DES ARÊTES
		± 0,6% max ORTOGONALITÀ / WEDGING / RECHTWINKLIGKEIT / ORTHOGONALITÉ	± 0,1% ORTOGONALITÀ / WEDGING / RECHTWINKLIGKEIT / ORTHOGONALITÉ
		± 0,5% max PLANARITÀ / WARPAGE / EBENFLÄCHIGKEIT / PLANÉITÉ	± 0,2% PLANARITÀ / WARPAGE / EBENFLÄCHIGKEIT / PLANÉITÉ
 ASPETTO APPEARANCE / AUSSEHEN / ASPECT		95% MIN. ESENTE DA DIFETTI / MIN. 95% DEFECT FREE / MINDESTENS ZU 95% FEHLERFREI / 95% MIN. SANS DÉFAUTS	CONFORME / CONFORMS / KONFORM / CONFORME
 RESISTENZA ALL'ABRASIONE PROFONDA / DEEP ABRASION RESISTANCE / TIEFVERSCHLEISSBESTÄNDIGKEIT / RESISTANCE A L'ABRASION PROFONDE	ISO 10545-6	max 175 mm ³	150 mm ³
 RESISTENZA AI PRODOTTI CHIMICI RESISTANCE TO CHEMICAL PRODUCTS / CHEMIKALIENBESTÄNDIGKEIT / RESISTANCE AUX PRODUITS CHIMIQUES	ISO 10545-13	UBmin	CONFORME / CONFORMS / KONFORM / CONFORME
 RESISTENZA ALLE MACCHIE STAIN RESISTANCE / FLECKENBESTÄNDIGKEIT / RESISTANCE AUX TACHES	ISO 10545-14	METODO DI PROVA DISPONIBILE / TESTING METHOD AVAILABLE / VERFÜGBARES PRÜFVERFAHREN / MÉTHODE D'ESSAI DISPONIBLE	RESISTENTE / RESISTANT / BESTÄNDIG / RESISTANT
 MODULO DI ROTTURA (R) MODULS OF RUPTURE (R) / BRUCHMODUL (R) / MODULE DE RUPTURE (R)	ISO 10545-4	≥ 35 N/mm ²	45 N/mm ²
 RESISTENZA SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS / TEMPERATURWECHSELBESTÄNDIGKEIT / RESISTANCE AUX ECARTS DE TEMPERATURE	ISO 10545-9	METODO DI PROVA DISPONIBILE / TESTING METHOD AVAILABLE / VERFÜGBARES PRÜFVERFAHREN / MÉTHODE D'ESSAI DISPONIBLE	RESISTENTE / RESISTANT / BESTÄNDIG / RESISTANT
 RESISTENZA COLORI ALLA LUCE RESISTANCE TO LIGHT / LICHTBESTÄNDIGKEIT DER FARBEN / RESISTANCE DES COULEURS A LA LUMIERE	DIN 51094		SUP. INALTERATA / UNAFFECTED SURFACE / OBERFLÄCHE UNVERÄNDERT / SURFACE INALTEREE
 RESISTENZA AL GELO FROST RESISTANCE / FROSTBESTÄNDIGKEIT / RESISTANCE AU GEL	ISO 10545-12	RICHIESTI 100 CICLI DI GELO-DISGELO / REQUESTED 100 FREEZE-THAW CYCLES / 100 GEFRIER-AUFTAUZYKLEN ANGEFRAGT / DEMANDÉE 100 CYCLES DE GEL-DÉGEL	RESISTENTE / RESISTANT / BESTÄNDIG / RESISTANT
 COEFFICIENTE DI ATTRITO FRICTION COEFFICIENT / REIBUNGSKOEFFIZIENT / COEFFICIENT DE FRICTION	BCR	μ ≥ 0,40 ATTRITO SODDISFACENTE / SATISFACTORY FRICTION / BEFRIEDIGENDE REIBUNG / FRICTION SATISFAISANTE	μ ≥ 0,40 SUPERFICIE PRELEVIGATA / PREPOLISHED SURFACES / VORGESCHLIFFENE OBERFLÄCHEN / SURFACES PREPOLIES
	DIN 51130		R9 SUPERFICIE PRELEVIGATA / PREPOLISHED SURFACES / VORGESCHLIFFENE OBERFLÄCHEN / SURFACES PREPOLIES

Standards ANSI -ASTM disponibili a richiesta / ANSI-ASTM standards available on request / ANSI-ASTM standards verfügbare auf Anfrage / ANSI-ASTM standards disponibles sur demande

IMBALLAGGI E PESI

PACKING AND WEIGHTS / VERPACKUNG UND GEWICHT / EMBALLAGES ET POIDS

FORMATI SIZES FORMATE FORMATS	SUPERFICI DISPONIBILI AVAILABLE SURFACES VERFÜGBARE OBERFLÄCHE SURFACES DISPONIBLE	PEZZI SCATOLA PIECES BOX STÜCKE KARTON PIÈCES BOÎTE	MQ. SCATOLA SQ. MT. BOX QM. KARTON m² BOÎTE	PESO SCATOLA WEIGHT BOX GEWICHT KARTON POIDS BOÎTE	PESO MQ. SQ. MT. WEIGHT QM. GEWICHT POIDS m²	SCATOLE PALLET BOX PALLET KARTON PALETTE BOÎTE PALETTE	MQ. PALLET SQ. MT. PALLET QM. PALETTE m² PALETTE	PESO PALLET WEIGHT PALLET GEWICHT PALETTE POIDS PALETTE
150 x 75 cm	LL PR	1	1,125	25,88	23,00	40	45,00	1029,00
75 x 75 cm	LL PR	2	1,125	25,88	23,00	36	40,50	926,00
75 x 37,5 cm	LL PR	3	0,844	19,40	23,00	30	25,32	577,00
79 x 9 cm	LL	10	7,50 LIN. MT.	12				
MOSAICO 30 x 30 cm	LL	4	0,36	6,20				
BATTISCOPA 75 x 9 cm	LL PR	10	7,50 LIN. MT.	12,00				

WWW.ARIOSTEA.IT

Ariostea spa_via Cimabue 20
42014 Castellarano
Reggio Emilia - Italy

Tel. +39 0536 816811
Fax +39 0536 816858 (Export)
Fax +39 0536 816838 (Italy)

 **Numero Verde**
800-214252
info@ariostea.it