



HYPER

HIGH DEFINITION ITALIAN TILE

HYPER NATURAL HYPER DEFINITION HYPER RESISTANT

INDICE / INDEX

Intro / HYPER

1

Yukon / HPE 8

2

Klondike / HPE 9

8

HYPER / HIGH DEFINITION ITALIAN TILE

DESIGN: CERAMICA DEL CONCA

Profonde stonalizzazioni,
infinite sfumature, variazioni di colore
cariche di elementi evocativi:
tutto in questa collezione ispirata
alle preziose ardesie del Nord America.
Non una semplice superficie ceramica
ma una vera protagonista dell’ambiente
che ci circonda.

Deep clashing tones, infinite shades, color variations
loaded with evocative elements - this is all found
in a collection that draws its inspiration
from precious North American slates.
More than just a tile floor, it’s the true centerpiece
of the setting around us.



Yukon


HPE 8

L'effetto cromatico che si offre ai nostri occhi è unico.

Toni caldi si contrappongono a colori freddi fino a creare un ambiente recondito e avvolgente.

The chromatic effect on our eyes is one of a kind.

Warm tones contrast cool colors to create a secluded and inviting ambiance.



HPE 8



HPE 8
30x60 12"x24"
079



HPE 8
30x30 12"x12"
075



HPE 8
15x15 6"x6"
098



Muretto / HPE 8
30x30 12"x12"
201




Mosaico / HPE 8
30x30 12"x12"
180


Pezzi Speciali Special Pieces • Formteile • Pièces spéciales



Battiscopa
8x30 3 1/8"x12"
Bullnose
Sockelleiste
Plinthes
019



- 1. Bordo Lineare**
5,5x15 2"x6"
V Cap 015
- 2. Bordo Angolo**
V Cap Corner 027
- 3. Sguscia Convessa**
3x15 1 1/8"x6"
Quarter Round 016





HPE 8
45x45 18"x18"
077

 Box	Package	45x45	30x60	30x30	15x15
	Pieces	6	6	12	48
	Mq.	1,22	1,08	1,08	1,08
	Kg.	24,39	23,00	24,00	24,00
 Europallet	Boxes	52	40	44	55
	Mq.	63,44	43,20	47,52	59,44
	Kg.	1290,00	941,00	1077,00	1320,00

SHADE VARIATION			
			
			
			
LOW	MODERATE	HIGH	RANDOM

HARD								
GRES PORCELLANATO A TUTTA MASSA	SPESORE	RESISTENZA AL GELO	ASSORBIMENTO D'ACQUA	CAMPO D'IMPIEGO CONSIGLIATO	RESISTENZA CHIMICA	RESISTENZA ALLO SCIVOLAMENTO	ASCIUTTO	BAGNATO
THROUGH-BODY PORCELAIN TILE	THICKNESS	FROST RESISTANCE	WATER ABSORPTION	RECOMMENDED USE	CHEMICAL RESISTANCE	SLIPPING RESISTANCE	DRY	WET
DURCHGEFÄRBTES FEINSTEINZEUG	STAERKE	FROSTBESTÄNDIGKEIT	WASSERAUFNAHME	ANWENDUNGSBEREICH	BESTÄNDIGKEIT GEGEN CHEMIKALIEN	RUTSFESTIGKEIT	TROCKEN	NASS
LE GRÈS CÉRALE PLEINE MASSE	ÉPAISSEUR	RESISTANCE AU GEL	ABSORPTION D'EAU	PIECE D'EMPLOI CONSEILLEE	RESISTANCE CHIMIQUE	FACTEUR DE RESISTANCE ANTIGLISSEMENT	SEC	MOUILLE
	10,5 mm	RESISTANT ISO 10545.12	~0,1% ISO 10545.3	    	GA UNI EN ISO 10545.13	DIN 51130	R 12	-
					5 UNI EN ISO 10545.14	DIN 51097 BCRA	- 0,81	A+B 0,62
						ASTM C1028	0,91	0,69

Price codes:  Mq.  Ml.  Pieces



Klondike

HPE 9

L'oro e il fuoco impreziosiscono una superficie ricca di suggestioni solcata da forti vibrazioni di luce. La fitta rete di segni trasmette vitalità ed energia per ambienti ricchi di personalità.

Gold and fire enhance this evocative surface streaked with intense vibrations of light. Its tight web of impressions conveys vitality and energy to rooms full of personality.



HARD

Gres porcellanato a tutta massa

Through-body porcelain tile - Durchgefärbtes Feinsteinzeug - Le grès cérame pleine masse



Ceramica del Conca S.p.a.
Via Croce, 8 - 47832 San Clemente (RN) - Italy
Tel. (+378) 0549 996037 - Fax (+378) 0549 996038
www.delconca.com - info@delconca.com

BONFIGLIOLI

